

Greeley, CO Aerial Refurb

Existing Chassis

E-ONE



Refurbishment Details

Repainted Apparatus Red
Updated Graphics and Chevrons
Inspected Apparatus Ladder and Mechanical
Fabricated and Installed Diamond Plate Bumper Cover
Updated Emergency and Scene Lighting
Rewired Apparatus to Current DOT and NFPA Compliance
Fabricated Aluminum Door for Ladder Storage Bay
Removed, Cleaned, Repaired and Reinstalled Radiator

Greeley Fire Department E-ONE Aerial

Refurb Specs

ELECTRICAL

- Rewired apparatus to ensure current DOT and NFPA compliance as well as dependability in operations during harsh
 weather environments including substantial water exposure
- Replaced wiring harness system with a new-style multi-plex system

CHASSIS:

- Insta-Chain snow chains shall be installed on the rear axle; The chains shall be engaged by a switch located in the
 driver's position. Location of switch to be determined at pre-build meeting
- Inspected all braking components for wear and air leaks at all hoses, fittings, and couplings

FRONT BUMPER:

- Heavy duty iron bumper installed to accommodate all required crash protection and carry all specified equipment
- Mounted a hydraulic TNT spreader unit under enclosure
- · Fabricated and installed a diamond plate hinged cover
- · Repaired TNT hydraulic pump
- · Updated air horn system with Grover system

COMPARTMENTS:

- · Patched all holes including light relocation holes
- Installed LED light stick lighting in every body compartment
- Installed heavy duty roll-oHt equipment trays in compartments C-4 and S-4
- Installed a full-height vertical slide-out tool board in compartment S-3

GROUND LADDER/EQUIPMENT STORAGE:

Fabricated a hinged aluminum door to close the ground ladder storage bay

AERIAL TURNTABLE:

- Painted aerial operating console to match the body of the apparatus
- Installed a hinged metal lid enclosure to cover and protect the aerial controls
- Inspected turntable personnel quard rail system thoroughly to ensure its adequacy for use
- Affixed tool boxes to the turntable in order to store 3 heavy-duty personal ladder safety belts and (2) Stihl chainsaws

AERIAL LADDER AND COMPONENTS:

- Removed and cleaned outrigger stabilizer jacks
- Assessed, replaired and replaced micro-switches controlling lighting and ground/stabilization sensors
- Replaced marker lights on outriggers with LED lights
- · Assessed and replaced all cables and sheaves with broken wire strands, frays and/orindentations and abnormal wear
- Replaced aerial slide pads and stops
- Installed an aluminum diamond plate storage compartment for the Stokes rescue baske.
- Mounted a 6-foot Fire Hooks Unlimited Arson-Trash hook with D-ring handle and New York Roof Hook on the base section of the aerial ladder

AERIAL HYDRAULIC SYSTEM

• Thoroughly inspected all hydraulic hoses, fitting, connectors, couplings, and pumps to ensure safe, effective, and efficient operation.

PAINT AND GRAPHICS:

- Stripped and repainted apparatus red
- Replaced Greeley Fire Department chevrons, logos and lettering on each side of the apparatus body as well as on the "parade boards" mounted to the aerial ladder

MECHANICAL:

- · Removed, cleaned, assessed, repaired and reinstalled radiator
- Removed existing front axle and replace it with a 20,000 GVW axle with a SN7 Air Disc Brake Caliper with Type T24Actuator CPL

OTHER SYSTEMS:

Installed a 120V, 30 amp electrical cord reel on each side of the body

EMERGENCY AND SCENE LIGHTING:

Added lights to:

Cab Front Lightbar:

- (1) F4N1QLED, 81" Freedom 4 Series Led Light Bar w/ NFPA Spec Light Heads
- (1) 795H, GTT LED Opticom Emitter installed in above

Cab Front (Lower):

- (2) M6T, M6 Series LED Turn Arrow
- (2) M6RC, M6 Series Super-LED warning light, RED w/ CLEAR lens
- (4) M6HDLMTK, M6 Series light head bracket kit for headlight housing

Roto-Ray Light Heads:

- (2) P46FLR, PAR46 Series Super-LED, RED w/ CLEAR lens
- (1) P46FLC, PAR46 Series Super-LED, WHITE w/ CLEAR lens

Bumper (Front Facing):

(2) M6RC, M6 Series Super-LED warning light, RED w/ CLEAR lens

Bumper (Side Facing):

(2) M6V2RC, M6 V-Series Super-LED warning light/Ground Light, RED w/ CLEAR lens Officer Side/Engineer Side:

(1) PCPSMC, Pioneer Series surface mount LED Scene Light, Single Panel, CHROME Flange

(Mounted in between front and rear doors, above side air intake.)

(1) M6V2RC, M6 V-Series Super-LED warning light/Ground Light, RED w/ CLEAR lens

(Mounted over front wheel well)

(1) M4V2RC, M4 V-Series Super-LED warning light/Ground Light, RED w/ CLEAR lens

(Mounted over rear wheel well)

(3) WIONSMR, ION Series Super-LED, Wide Angle, RED w/ CLEAR Lens

(Mounted in the side lower rub rails)

Rear Upper:

- (2) L41AP, L41 Series LED Beacon, AMBER w/ AMBER lens
- (1) PSROOXRR, Strip Light, 5MM LED, Brake/Tail/Turn
- (1) TANF85, 500 Series Linear-LED Traffic Advisor

Rear Lower:

- (2) M6FCV4, M6 Series four light vertical housing
- (2) M6BTT, M6 Series Brake/Tail/Turn
- (2) M6T, M6 Series Turn Arrow
- (2) M6BUW, M6 Series Back Up light
- (2) M6RC, M6 Series Super-LED warning light, RED w/ CLEAR lens
- (2) M6RC, M6 Series Super-LED warning light, RED w/ CLEAR lens
- (Mounted on the side of the rear uprights, Side facing)

Rear Spot/Flood Lights:

- (1) PFBP12, 12 LED Flood Light w/ T-Handle, Switch
- (1) PSBP12, 12 LED Spot Light w/ T-Handle, Switch
- (Both mounted at top edge by turn table)

Rear Inner Step Light:

(8) 3SCOCDCR, 3" Round LED, Surface Mount, WHITE w/ CLEAR Lens

Cab Interior (Dome Lights):

(4) 60CREGCS, 6" Round RED/WHITE LED Dome Light, w/ Switches

Cab Interior (Door Open Warning Light):

(1) OSROOFCR, OS Series LED Warning Light, Flasher, RED

Cab Doors:

- (4) 3SR00FRR, 3" Round Warning Flasher, RED w/ RED Lens
- (Mounted to inside of door to flash at traffic when opened)

Cab Step Wells:

(4) 3SCOCDCR, 3" Round, LED White light head

(Mounted in cab step wells to turn on when doors are opened)

Under Body Lights:

- (12) 20C0CDCR, 4" Round Super-LED Light head, WHITE w/ CLEAR Lens
- (12) 2GROMMET, 4" Round Grommet Mount Kit

Aerial Tip Lights:

- (2) PFP1AP1. Pioneer Plus Series LED Flood Light
- (Mounted at tip of aerial)
- (2) PBAPEDA, Pioneer Pedestal Mount Kit (For Above)

Aerial Tracking Lights:

(2) MPBW, Micro Pioneer Series Super-LED Scene Light, WHITE w/ Universal Bail Mount

Side Scene Lights:

- (4) PCP3AP1, Pioneer Plus MAX Series LED Flood/Spot Light
- (4) 87312001, Pioneer Series Ground Tri Pod Mount Kit (For Above)

- Aerial Turn Table Flashing Lights:

 (4) 2FR00ZRR, 4" Round LED Flashers, RED w/ RED Lens
 (4) 2FLANGEB, 4" Round Flange Kit, BLACK

Outrigger Warning Lights:

- (4) 2FR00ZRR, 4" Round LED Flashers, RED w/ RED Lens (4) 2GROMMET, 4" Round Grommet Mount Kit
- (8) MCRNSR, Micron Series Super-LED Warning Light, RED w/ CLEAR Lens
- (Mounted to the front and rear of the outriggers)

Compartment Lights:

Use the Fluorent Series Strip Light, (Sizes vary by compartment size)